
WOODSKER BACKER



WOODCRACKER® R





KEY FACTS

- Gentle removal of the root stock from the ground, with leaving only a minimal damage to the soil.
- Through additional biomass mobilisation, another source of revenue is generated for the forestry business.
- Available in different sizes suitable for the carrier vehicle.
- Plug-and-play connection.
- Robust and proven technology -Low-wear and low-service.
- Made of high-strength Hardox® steel.

ALTERNATIVE: RIPPER TOOTH

- Fast and cost-efficient ripper tooth.
- For temporary use.
- Available in 2 sizes.



Woodcracker® Ripper Tooth



THE POWERFUL ROOT STOCK CLEARING DEVICE

TECHNICAL DATA

WOODCRACKER® (R)	R 900	R 1300
Opening stroke (mm)	955	1300
Cutting force (depending on operating pressure) 1) (t)	up to 45	up to 65
Weight (basic model) (kg)	1200	2100
Recommended pump flow capacity 1) (I/min.)	100 - 190	120 - 250
Recommended operating pressure (bar) 1) (bar)	240 - 280	250 - 310
Service weight of carrier vehicle 2) (t)	25	30

¹⁾ Depending on operating mode or equipment. 2) Depending on specifications of the operation vehicle. • available - not available

APPLICATION AREA

- Removal of the entire root stock from the ground.
- Chipping the root stock for further processing by using a shredder.
- Reduction of the transport volume through pre-chipping.
- Large-scale recultivation measures.
- Cleaning the ground to let the plant inventory regrow.



WOODCRACKER® R



Careful removal of the entire rootstock from the ground.



Robust cutting unit.



Used for clearing the soil.



Chipping of the harvested material.